

From: [Dan Peacock](#)
To: [Allison Siekkinen](#)
Cc: [Bill Jacobs](#); [Jennifer Gaines](#)
Subject: Re: 72500-18
Date: 03/17/2010 09:35 AM

Dear Ms. Siekkinen,

You need to run Protocols 1.213 and 1.214.
Direct any questions about the protocols to Bill Jacobs or Jennifer Gaines.

Thank You,

Daniel B. Peacock, Biologist
Tel: 703-305-5407
Fax: 703-308-0029
E-Mail: peacock.dan@epa.gov

Addresses:
United States Postal Service (USPS): USEPA, Insecticide-Rodenticide Branch,
Registration Division (7504P), 1200 Pennsylvania Ave. NW, Washington, DC 20460-0001

Courier Deliveries: USEPA, Insecticide-Rodenticide Branch, Registration Division,
Room S-4900, One Potomac Yard, 2777 Crystal Drive, Arlington, VA 22202

▼ Allison Siekkinen ---03/16/2010 12:15:14 PM---Dan, Good morning. I know you are busy, but I am wondering if you can give me.

From: Allison Siekkinen <allisons@kaputproducts.com>
To: Dan Peacock/DC/USEPA/US@EPA
Date: 03/16/2010 12:15 PM
Subject: 72500-18

Dan,

Good morning. I know you are busy, but I am wondering if you can give me, or point me to someone who can, an answer to the following question. We would like to add "moisture resistant" to the label. Since the product is made with paraffin, can we do this or are there study guidelines we should look at?

We have a customer who should have asked this six months ago, so we are in a hurry to start if we need to perform a study. Thank you very much much for your help.

--

Allison Poche Siekkinen
Scimetrix Technical Services
Cell (337)241-4252

www.KaputProducts.com